Notice of Allowability	Application No.	Applicant(s) BOUWMAN ET AL.	
	10/009,622		
	Examiner	Art Unit	
	Edward M. Johnson	1754	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	pplication. If not include	ed
 This communication is responsive to Applicant's letter filed The allowed claim(s) is/are 24-40, which have been renumed The drawings filed on are accepted by the Examiner Acknowledgment is made of a claim for foreign priority uner a) ☐ All b) ☐ Some* c) ☐ None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have 	bered 1-2,6,10-11,7-9,12-17, and 3 c. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No		tion from the
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority un reference was included in the first sentence of the specifical (a) The translation of the foreign language provisional age. 6. Acknowledgment is made of a claim for domestic priority un in the first sentence of the specification or in an Application. Applicant has THREE MONTHS EROM THE "MAILING DATE" of	tion or in an Application Data Sheet oplication has been received. der 35 U.S.C. §§ 120 and/or 121 si Data Sheet. 37 CFR 1.78.	t. 37 CFR 1.78.	ce was included
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of the submitted of the ABANDONMENT OF THE ABANDONME	nis application. THIS THREE-MON tted. Note the attached EXAMINER' s reason(s) why the oath or declara	NTH PERIOD IS NOT I	EXTENDABLE
 8. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) including changes required by the proposed drawing co (c) including changes required by the attached Examiner's 	on's Patent Drawing Review (PTO-	en approved by the Ex	aminer.
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	34(c)) should be written on the drawir e margin according to 37 CFR 1.121(d	ngs in the front (not the	back) of
 DEPOSIT OF and/or INFORMATION about the deposent attached Examiner's comment regarding REQUIREMENT FOR THE 	it of BIOLOGICAL MATERIAL n IE DEPOSIT OF BIOLOGICAL MA	nust be submitted. N TERIAL.	ote the
Attachment(s)			
1⊠ Notice of References Cited (PTO-892)	5∏ Notice of Informal Pat	tent Application (PTO-	152)
 2☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. 12/01 	6☐ Interview Summary (F	PTO-413), Paper No	
4☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemen 9⊡ Other		ance

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: It would not have been obvious to one of ordinary skill in the art at the time the invention was made to contact the gas stream with a deNOx catalyst and a reducing stream of CO, H_2 , and ammonia, wherein the reducing stream has been produced from the gas stream with a separate reductant forming catalyst in the method for reducing NOx of the instant claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 2. Hsiao et al. US 5,891,409 discloses pre-converted nitric oxide gas in a catalytic reduction system without post-converted hydrogen in a reductant stream.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edward M. Johnson whose telephone number is 703-305-0216. The examiner can normally be reached on M-F 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley S. Silverman can be reached on 703-308-3837. The fax phone number for the

Art Unit: 1754

organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

EMJ

SUPERVISORY PATERY CAMINER TECHNOLOGY CENTER 1700